

L Number	Hits	Search Text	DB	Time stamp
-	174184	(translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6) near5 (request\$5 or quer\$5 or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:57
-	161437	((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6) near5 (request\$5 or quer\$5 or information)) same ??format\$4 same ??format\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 17:47
-	3939	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6) near5 (request\$5 or quer\$5 or information)) same ??format\$4 same ??format\$5) same (text\$3 or xml or html or e?mail or electronic near1 mail) near3 format\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 17:53
-	640	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6) near5 (request\$5 or quer\$5 or information)) same ??format\$4 same ??format\$5) same (text\$3 or xml or html or e?mail or electronic near1 mail) near3 format\$5) and servic\$5 near5 (central\$6 or intermediat\$3 or between)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 17:53
-	3059	(e?mail or electronic near1 mail) near3 pag\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 17:55
-	53	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6) near5 (request\$5 or quer\$5 or information)) same ??format\$4 same ??format\$5) same (text\$3 or xml or html or e?mail or electronic near1 mail) near3 format\$5) and servic\$5 near5 (central\$6 or intermediat\$3 or between)) and ((e?mail or electronic near1 mail) near3 pag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 17:57
-	1	((((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6) near5 (request\$5 or quer\$5 or information)) same ??format\$4 same ??format\$5) same (text\$3 or xml or html or e?mail or electronic near1 mail) near3 format\$5) and servic\$5 near5 (central\$6 or intermediat\$3 or between)) and ((e?mail or electronic near1 mail) near3 pag\$3)) and "09682853"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 17:58
-	48	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6) near5 (request\$5 or quer\$5 or information)) same ??format\$4 same ??format\$5) same (text\$3 or xml or html or e?mail or electronic near1 mail) near3 format\$5) and servic\$5 near5 (central\$6 or intermediat\$3 or between)) and ((e?mail or electronic near1 mail) near3 pag\$3)) and @ad<20011024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 17:58
-	64	(licens\$5 near1 agreement).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:00
-	7	((licens\$5 near1 agreement).ab.) with term\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:39

-	209495	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same ??format\$4 same ??format\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:30
-	172	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same ??format\$4 same ??format\$5) and (send\$3 or tranmit\$5) near3 (??format\$5 or format\$3) with (e?mail or (electronic near2 mail)) near5 (device or client or terminal or element or palm or pda or recipient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:32
-	172	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same ??format\$4 same ??format\$5) and (send\$3 or tranmit\$5) near3 (??format\$5 or format\$3) with (e?mail or (electronic near2 mail)) near5 (device or client or terminal or element or palm or pda or recipient)) and (??format\$4 or format\$5) with (text\$3 or xml or html or e?mail or (electronic near1 mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:14
-	30	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same ??format\$4 same ??format\$5) and (send\$3 or tranmit\$5) near3 (??format\$5 or format\$3) with (e?mail or (electronic near2 mail)) near5 (device or client or terminal or element or palm or pda or recipient)) and (??format\$4 or format\$5) with (text\$3 or xml or html or e?mail or (electronic near1 mail))) and (request\$5 or quer\$4) with (servic\$5 central\$6 or intermediat\$3 or between or server or internet or web or www) same result\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:19
-	177714	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:32
-	47	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near3 (reformat\$5 or format\$3) with (e?mail or (electronic near2 mail)) near5 (device or client or terminal or element or palm or pda or recipient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:34

-	1412	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:45
-	11915	(communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:42
-	143	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:48
-	114	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail)))) and @ad<20011024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:48
-	1414	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 20:22

-	144	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:48
-	115	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and @ad<20011024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:48
-	144	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3 or type or form or format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:52
-	85	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:53

-	85	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:53
-	20	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (html near5 (html or text\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 21:37
-	92	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3 or type or form or format)) and (send\$3 or tranmit\$5 or convey\$3) near5 (device or client or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager) near5 (e?mail or electronic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 20:37

-	60	<p>(((((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3) ) and (send\$3 or tranmit\$5 or convey\$3) near5 (device or client or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager) near5 (e?mail or electronic\$3)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/06/26 20:27</p>
-	44	<p>(((((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3) ) and (send\$3 or tranmit\$5 or convey\$3) near5 (device or client or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager) near5 (e?mail or electronic\$3)) not ((((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (html near5 (html or text\$3)) )</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/06/26 20:28</p>

-	79	<p>(((((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3 or type or form or format)) and (send\$3 or tranmit\$5 or convey\$3) near5 (device or client or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager) near3 (e?mail or electronic near2 mail)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/06/26 20:39</p>
-	17	<p>(((((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3 or type or form or format)) and (receiv\$3 or request\$3 or send\$3 or tranmit\$5 or convey\$3) near5 (device or client or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (e?mail or electronic near2 mail) with (stock or bank or news or update or notification)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/06/26 20:42</p>

-	17	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or tranmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit or pager)) and ((communicat\$6 or connect\$5 or request\$5) near5 (e?mail or electronic near1 mail))) and (format\$3 or form) with (xml or html or text\$3 or type or form or format)) and (receiv\$3 or request\$3 or send\$3 or tranmit\$5 or convey\$3) near5 (device or client or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (e?mail or electronic near2 mail) with (price or ad or quote or stock or bank or news or update or notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 21:27
-	25215	(receiv\$3 or request\$3 or send\$3 or tranmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 13:31
-	1221	(pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 21:35
-	118	((receiv\$3 or request\$3 or send\$3 or tranmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and ((pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 21:35



-	9	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and ((pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail))) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 22:23
-	1	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and ((pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail))) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (html near5 (xml or text\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 22:01
-	222985	((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 17:55
-	5416	(((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (internet or web or www) near5 (service or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 21:50

-	11	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and ((pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail))) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (internet or web or www) near5 (service or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 22:24
-	5	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and ((pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail))) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (internet or web or www) near5 (service or server))) and (html near5 (xml or text\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 22:06

-	6	<p>(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and ((pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail))) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (internet or web or www) near5 (service or server))) not (((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and ((pars\$3 or extract\$3) near5 (body or text\$3 or information or data or content) with (e?mail or electronic adj1 mail))) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (internet or web or www) near5 (service or server))) and (html near5 (xml or text\$3)) )</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 22:07
-	201	<p>((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 23:08

-	33	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (internet or web or www) near5 (service or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 22:24
-	5	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 ((e?mail or electronic near1 mail) near3 (pager or device or pda or element or unit or terminal or palm))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 23:12

-	155	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 (pager or device or pda or element or unit or terminal or palm or handheld)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 18:21
-	104	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 (pager or device or pda or element or unit or terminal or palm or handheld) with (send or transmit\$5 or request\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 23:16

-	119	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 (pager or device or pda or element or unit or terminal or palm or handheld) with (send\$3 or transmit\$5 or request\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 18:21
-	8	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 (pager or device or pda or element or unit or terminal or palm or handheld) with (send\$3 or transmit\$5 or request\$4)) and (format\$3 or reformat\$3) near5 (html near5 (xml or text\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 23:20

-	44	((((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 (pager or device or pda or element or unit or terminal or palm or handheld or client) with (send\$3 or transmit\$5 or request\$4) with (data or information) ) and (receiv\$4 or retriev\$5) with result\$3) and @ad<20011024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 18:21
-	7084	(709/217,218,219).ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 17:55
-	222985	((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 17:57
-	2573	(709/206,207).ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 17:57
-	8855	((709/217,218,219).ccls) or ((709/206,207).ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 18:21
-	5238	((709/217,218,219).ccls) or ((709/206,207).ccls)) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 18:21

-	49	(((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 (pager or device or pda or element or unit or terminal or palm or handheld or client) with (send\$3 or transmit\$5 or request\$4) with (data or information) ) and (receiv\$4 or retriev\$5) with result\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 18:41
-	7	(((709/217,218,219).ccls) or ((709/206,207).ccls)) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and (((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)) and (((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) same (reformat\$4 or format\$4) same (reformat\$5 or format\$4)) and (send\$3 or transmit\$5) near5 (converted or transcoded or interpreted or translated or reformat\$5 or format\$3) with (data or information or request or result or form) near5 (device or client or terminal or element or palm or pda or recipient or electronic\$3 or unit))) and (format\$3 or reformat\$3) near5 (pager or device or pda or element or unit or terminal or palm or handheld or client) with (send\$3 or transmit\$5 or request\$4) with (data or information) ) and (receiv\$4 or retriev\$5) with result\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 18:42
-	462766	((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 13:36



-	25215	(receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 13:48
-	9807	((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 13:48
-	342	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank near3 (balance or transaction or accout))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 13:49
-	18	(((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank near3 (balance or transaction or account))) and xml near3 format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 14:17
-	674	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank\$3 near3 (balance or transaction or account))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 14:18

-	699	(((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank\$3 near3 (balance or deposit\$3 or transaction or account))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 14:19
-	314	(((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank\$3 near3 (balance or deposit\$3 or transaction or account))) and (check\$3 or information) near3 (balance or account) with bank\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 18:07
-	196	(((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank\$3 near3 (balance or deposit\$3 or transaction or account))) and (check\$3 or information) near3 (balance or account) with bank\$3 and (purchas\$5 or buy\$3) near3 (product or goods or service or shop\$5 or transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 14:22
-	17	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or transmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank\$3 near3 (balance or deposit\$3 or transaction or account))) and (check\$3 or information) near3 (balance or account) with bank\$3 and (purchas\$5 or buy\$3) near3 (product or goods or service or shop\$5 or transaction)) and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 15:47

-	2	("6216141").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 15:52
-	2	("6379251").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 16:31
-	2	("20020007322").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 15:59
-	2	("5959621").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 16:06
-	2	("6021433").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 16:06
-	2	("5959621").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 16:32
-	314	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or tranmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank\$3 near3 (balance or deposit\$3 or transaction or account))) and (check\$3 or information) near3 (balance or account) with bank\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 18:15
-	74	((((translat\$5 or interpret\$5 or reformat\$4 or format\$5 or conver\$6 or transcod\$5) near5 (request\$5 or quer\$5 or information or data or text\$3 or e?mail or electronic near1 mail or messag\$3)) ) and ((receiv\$3 or request\$3 or send\$3 or tranmit\$5 or convey\$3) near5 (device or terminal or element or palm or hand or pda or recipient or electronic\$3 or unit or pager or cell or phone or telephone) near5 (price or ad or quote or stock or bank\$3 or news or sport or update or notification) )) and (bank\$3 near3 (balance or deposit\$3 or transaction or account))) and (check\$3 or information) near3 (balance or account) with bank\$3 ) and (user\$1 or client or subscib\$3) near5 (account or bank\$3) near3 (balance or amount or money)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 18:17